2016 JUN 14 AM 8: 40

Consumer Confidence Report Certification Form (updated with electronic delivery methods)

(suggested format)

CWS Name: Winona Public Utility
PWSID No:0490010
The community water system named above hereby confirms that its consumer confidence report has been distributed to customers (and appropriate notices of availability have been given). Further, the system certifies that the information contained in the report is correct and consistent with the compliance monitoring data previously submitted to the state/primacy agency.
Certified by:
Name:Frank Faulkner
Title:Water/Wastewater Superintendent
Phone #: 662-417-9890 Date: 06/24/2016
Please check all items that apply.
CCR was distributed by mail.
X CCR was distributed by other direct delivery method. Specify direct delivery methods:
X Mail – notification that CCR is available on website via a direct URL
Email – direct URL to CCR
Email – CCR sent as an attachment to the email
Email – CCR sent embedded in the email
Other:
If the CCR was provided by a direct URL, please provide the direct URL Internet address:
www.winonams.us/news/pdfs/CCRiWriter_Report_2015.pdf
If the CCR was provided electronically, please describe how a customer requests paper CCR delivery:
Customer may call Winona City Hall at 662-283-1232 and request a paper copy to be
mailed or come to Winona City Hall located at 409 Summit St. and pick up a copy

Χ	"Good faith" efforts were used to reach non-bill paying consumers. Those efforts included the following methods as recommended by the state/primacy agency:
	X posting the CCR on the Internet at www.winonams.us/news/pdfs/CCRiWriter_Report_2015.pdf
	mailing the CCR to postal patrons within the service area (attach a list of zip codes used)
	advertising availability of the CCR in news media (attach copy of announcement)
	publication of CCR in local newspaper (attach copy)
	x posting the CCR in public places (attach a list of locations)
	delivery of multiple copies to single bill addresses serving several persons such as: apartments, businesses, and large private employers
	delivery to community organizations (attach a list)
	electronic city newsletter or electronic community newsletter or listserv (attach a copy of the article or notice)
	electronic announcement of CCR availability via social media outlets (attach list of social media outlets utilized)
	(for systems serving at least 100,000 persons) Posted CCR on a publicly-accessible Internet site at the address: www
	Delivered CCR to other agencies as required by the state/primacy agency (attach a list)

WINONA PUBLIC UTILITY 2015 Consumer Confidence Report PWSID# 0490010

Spanish (Espanol)

Este informe contiene informacion muy importante sobre la calidad de su agua beber. Traduscalo o hable con alguien que lo entienda bien.

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Your water comes from the Meridian-Upper Wilcox Aquifer and is pumped into the Winona Water Treatment Plant located at 315 Greensboro Street.

Source water assessment and its availability

Our source water assessment has been completed and is available upon request. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-283-1232.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity:

microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, sources are sufficiently applied to the presence of animals or provided in the presence of animals or from human activity:

microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Please join us for our monthly meetings on the first and third Tuesday of each month at our office on 409 Summit St, Winona, MS. Meetings begin at 5:00 p.m.

Description of Water Treatment Process

Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, flocculation, sedimentation, filtration, and disinfection. Coagulation removes dirt and other particles suspended in the source water by adding chemicals (coagulants) to form tiny sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill bacteria and other microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to homes and businesses in the community.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov/watersense for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Regulation Governing Fluoridation of Community Water Supplies

To comply with the "Regulation Governing Fluoridation of Community Water Supplies". MS0490010 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 2. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 17%.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Winona Public Utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Winona Public Utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of

contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG or	MCL, TT, or	Your	Ra	nge	Sample		
Contaminants	MRDLG	MRDL		Low	High	Date	Violation	Typical Source
Disinfectants & Disinfect	tion By-Pro	oducts						
(There is convincing evide	ence that ad	dition of	a disinf	ectant	is nece	essary for	control of	microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4	1.7	1.38	2.08	2015	No	Water additive used to control microbes
Inorganic Contaminants	·							
Antimony (ppb)	6	6	.5	NA		2015	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	.5	NA		2015	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	.0825	NA		2015	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	.5	NA		2015	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	.5	NA		2015	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	.9	NA		2015	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide (ppb)	200	200	15	NA		2015	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories

6/13/2016 8:41 AM

	MCLG	MCL, TT, or	Your	Ra	nge	Sample		
Contaminants	or MRDLG	MRDL	Water	Low	High	Date	Violation	Typical Source
Fluoride (ppm)	4	4	.537	.1	1.2	2015	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	2	.5	NA		2015	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	.08	NA		2015	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	.02	NA		2015	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	2.5	NA		2015	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	.5	2	.5	NA		2015	No	Discharge from electronics, glass, and Leaching from ore-processing sites; drug factories
Volatile Organic Contam	inants							
1,1,1-Trichloroethane (ppb)	200	200	.5	NA		2015	No	Discharge from metal degreasing sites and other factories
1,1-Dichloroethylene (ppb)	7	7	.5	NA		2015	No	Discharge from industrial chemical factories
1,2,4-Trichlorobenzene (ppb)	70	70	.5	NA		2015	No	Discharge from textile-finishing factories
1,2-Dichloroethane (ppb)	0	5	.5	NA		2015	No	Discharge from industrial chemical factories
1,2-Dichloropropane (ppb)	0	5	.5	NA		2015	No	Discharge from industrial chemical factories
Benzene (ppb)	0	5	.5	NA		2015	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride (ppb)	0	5	.5	NA		2015	No	Discharge from chemical plants and other industrial activities
Chlorobenzene (monochlorobenzene) (ppb)	100	100	.5	NA		2015	No	Discharge from chemical and agricultural chemical factories
Dichloromethane (ppb)	0	5	.5	NA		2015	No	Discharge from pharmaceutical and chemical factories
Ethylbenzene (ppb)	700	700	.5	NA		2015	No	Discharge from petroleum refineries
Styrene (ppb)	100	100	.5	NA		2015	No	Discharge from rubber and plastic factories; Leaching from landfills
Tetrachloroethylene (ppb)	0	5	.5	NA		2015	No	Discharge from factories and dry cleaners

	MCLG	MCL,	Vous	Ra	nge	Sample		
Contaminants	or MRDLG	TT, or MRDL	Your Water	Low	High	-	Violation	Typical Source
Toluene (ppm)	1	1	.0005	NA		2015	No	Discharge from petroleum factories
Trichloroethylene (ppb)	0	5	.5	NA		2015	No	Discharge from metal degreasing sites and other factories
Vinyl Chloride (ppb)	0	2	.5	NA		2015	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	10	.0005	NA		2015	No	Discharge from petroleum factories; Discharge from chemical factories
cis-1,2-Dichloroethylene (ppb)	70	70	.5	NA		2015	No	Discharge from industrial chemical factories
o-Dichlorobenzene (ppb)	600	600	.5	NA		2015	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	.5	NA		2015	No	Discharge from industrial chemical factories
trans- 1,2-Dichloroethylene (ppb)	100	100	.5	NA		2015	No	Discharge from industrial chemical factories

it Descriptions							
Term	Definition						
ppm	ppm: parts per million, or milligrams per liter (mg/L)						
ppb	ppb: parts per billion, or micrograms per liter (μg/L)						
NA	NA: not applicable						
ND	ND: Not detected						
NR	NR: Monitoring not required, but recommended.						

Important Drink	ing Water Definitions
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

portant Dri	nking Water Definitions
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: Frank Faulkner

Address: PO Box 29 City, MS 38967 Phone: 6624179890

WINONA PUBLIC UTILITY 2015 Consumer Confidence Report PWS ID#0490010

Spanish (Espanol)

Este informe contiene informacion muy importante sobre la calidad de su agua beber. Traduscalo o hable con alguien que lo entienda bien

lo entienda bien.
Is my water safe?
We are pleased to present this year's Annual Water Quality.
Report (Consumer Confidence Report) as required by the Safe
Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We
are committed to providing you with information because
informed customers are our best allies.

informed customers are our best alies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Holline (800-426-4791).

Where does my water come from?

taminants are available from the Safe Water Drinking Hotline (800.426-4791).

Where does my water come from?

Your water comes from the Meridian-Upper Wilcox Aquifer and is pumped into the Winnona Water Treatment Plant located at 315 Greensboro Street.

Source water assessment and its availability.

Our source water assessment has been completed and is available upon request. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 662-283-1232.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contaminants and apotential health effects can be obtained by calling the Environmental Protection Agency's (EPA). Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock

operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater rumoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater rumoff, and residential uses, organic Chemical Contaminants, moltding synthetic and volatile organic chemicals, which are by-products of industrial processes and pervoleum production, and can also come from gas stations, urban stormwater rumoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.
How can I get Involved?

Please join us for our monthly meetings on the first and third breadsy of each month at our office on 400 Symmit St.

How can I get involved?
Please join us for our monthly meetings on the first and third Tuesday of each month at our office on 409 Summit St, Winona, MS. Meetings begin at 5:00 p.m.
Description of Water Treatment Process
Your water is treated in a "treatment train" (a series of processes applied in a sequence) that includes coagulation, flocculation, sedimentation, filtration, and distinfection.
Coagulation removes dirt and other particles suspended in the source water by adding chemicals (coagulants)
to form timy sticky particles called "floc," which attract the dirt particles. Flocculation (the formation of larger flocs from smaller flocs) is achieved using gentle, constant mixing. The heavy particles settle naturally out of the water in a sedimentation basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other tion basin. The clear water then moves to the filtration process where the water passes through sand, gravel, charcoal or other filters that remove even smaller particles. A small amount of chlorine or other disinfection method is used to kill bacteria and other microorganisms (viruses, cysts, etc.) that may be in the water before water is stored and distributed to homes and businesses in the community. Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 sallors of these regions of 100 raillors of these regions of 100 raillors of these regions.

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

• Take short showers – a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.

• Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.

• Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.

• Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.

• Waterplants only when necessary.

• Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.

• Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.

• Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

• Visit www.epa.gov/watersense for more information. Source Water Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

• Ellimingate excess use of lawn and earden fertilizers and

in several ways:

in several ways:

• Eliminate excess use of lawn and garden fertilizers and pesticides - they contain hazardous chemicals that can reach your drinking water source.

• Pick up after your pets.

• If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.

• Dispose of chemicals properly; take used motor oil to a recording center.

Dispose of chemicals properly; take used motor oil to a recycling center.
 Volunteer in your community. Find a watershed or well-head protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
 Organize a storm drain stenciling project with your local government or water smiller. Stencil a message next to the

government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste - Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Regulation Governing Fluoridation of Community Water

Supplies
To comply with the "Regulation Governing Fluoridation of Community Water Supplies". MS0490010 is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 2. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 17%.

Additional Information for Lead

If present, elevated levels of lead can cause serious health
problems, especially for pregnant women and young children.
Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Winona
Public Utility is responsible for providing high quality drinking
water, but cannot control the variety of materials used in plumbing commonents. When your water has been sitting for several water, our cannot control the variety of materials seed in jumining components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to

minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Winona Public Utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water,

testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the toes contain two weeks of ansenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Water Quality Data Table

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Allfough many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. Af ew naturally occurring minerals may actually improve the tasts of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contaminants on the contaminants of the provided the definitions below the table.

Chlorine (et C12) (pen)	•	1	17	1 38	2.08	2015	110	Water withore tood to controlled purposes
Companie	MCLC URDAY	T.					V-1	Jugani Saura
Astimony (1981)	6	6		ΝA		2015	No	Discharge from perceivant refinence, fire enactants ocramics: electronics: solder jest addition.
Aneric (ppb)	o	10	.5	ΝA		2015	No	Errorism of natural deposits; Rancell from orchants: Russel from glass and electronics production wastes.
Baraum (pyro)	2	2	0825	NA		2015	No	Discharge of drilling waster. Discharge from metal refuners: Eroson of natural deposits
Berylium (pph)	à	٠.	5	NA		2015	20	Discharge from mens) refineries and coal-turning factioner: Discharge from electronic arrospace, and defense industries
Cadmun (ppb)	,	5	5	NA		2015	No	Convision of galvanized paper lineases of natural deposits, Distribute from social reference, reacelf from waster betteries and paints:
Сигонизм (руб)	100	100	9	NA.		2015	Ко	Discharge from street and pub- mills, Erroson of natural deposes
Cyanide (pph)	200	200	15	ž		2015	2	Discharge from plants and fertilizer factories; Descharge from stock metal factories
Fluoride (ppm)	4	•	537	-	2	2015	ìŧa	Erosion of natural deposits, Water additive which promotes strong teeth; Discharge from feralizer and aluminum factories
Mercury [Inorganic] ppb)	o	2	,	×		2015	Ni.	Erosion of natural deposits: Discharge from refractics and factories; Rimoff from landfills: Ramoff from cropland
Nitrate (messared as Nitrogen) (ppm)	10	10	æ	NA		2015	No	formalf from fertilizer use, Leaching from sepac tunks, sewage, Econom of natural deposits
Vitrate (measured as Vitrages) (ppm)	,	r.	œ	ΝA		2015	Ne	Report from fertilities use, Leaching from septic taries, attempt; factories of natural deposits

MCIA MCL Res Reserve

	MCL			12				
T-fellentnings	348 3 0741	AUROI		le:	Tan	2.00	11	Typical Source
Selencum (ppb)	50	so.	25	NA		2015	9	Discharge from petroleum an unetal refunction: Eroscon of natural deposits; Discharge Goss unites
Thallian (190)	- 5	2	•	NA		2015	No	Discharge from electromes, glass, and Leathing from ore processing sites, drug factors
Venetic Countrie Conta							744	
1,1,1-Trichloroethene (pph)	200	380	5	NA		2015	No	Discharge from metal degressing sites and other factories
1,1-Denteroethylane (ppb)	7		3	NA		2015	No	Discharge from archastral chemical factories
(24Trehlarebensens (46)	70	70	9	NA		2015	No	Discharge from textile- finishing fockers
1,2-Dichloroethane (ppb)	0	45	9	NA		2015	ż	Discharge from industrial chemical factories
1,2-Dichloropropone (ppb)	0		•	ΝĄ		2015	No	Discharge from industrial chemical factories
Bettomie (ppb)	٥	4	*	ΝA		2015	No	Discharge from factories; Leaching from gars storage trains and irredfills
Owbon Tetrachloside (ppb)	٥	•	5	NA		2015	No	Discharge from chemical plants and other industrial activities
Chiotoberazine (monochloroberazine) (ppb)	100	100	6	NA		2015	No	Descharge from chemical are agricultural chemical factors
Dichlaromethiase (pph)	0	5	3	NA		2015	No	Discharge from pharm-scotical and chemical factories
Ethylbenzene (ppb)	700	200	. 3	ΝA		30[5	150	Discharge from peroleum refineries
Styrene (pph)	100	100	.5	NA		2015	No	Discharge from rubber and plastic factories: Leaching from landfills
Teirechicrosthylene (ppb)	ō	5 .	3	NA		2015	No	Discharge from factories and dry ciceners
Toinscre (ppm)	1	ı,	.0005	NA		2015	No	Discharge from petroleum fectories
Friahloroethylase (ppb)	ď	•	.5	NA		2015	No	Distincte from metal degressing rates and other factories
Vinyl Chloride (ppb)	0	3.2		NA:	3272	2015	No	Leaching from PVC piping

Contact Name: Frank Faulkner
Address:
P.O. Box 29, Winona, MS 38967
Phone: 662-417-9890 + Far: 662-283-4070
E-Mail: winonawater@att.net Website: www.winonams.org

Contractorers	MCLG				124	-	Victorian	Typical Searce
								Dissolvenge from plastics factories
Xylenes (ppm)	10	10	.9005	ΝA		2015	No.	Discharge from petroleum factories: Discharge from chemical factories
cis-1.2 Dichlorosthylene (ppb)	70-	70		NA		2015	Χ¢	Discharge from industrial chemical factories
o-Dichkombenzene (ppb)	600	600	•	NA		2015	Mo	Discharge from miliatral chemical factories
p-Dichlorobenzene (ppb)	75	75	X,	ΝA		2015	* No	Discharge from inclusional chemiscal factories
trens-1,2- Dichloroethylene (ppb)	100	100	.5	MA		2018	769	Discharge from industrial chemical factories

Term	Definition
ppan	pipus: peerla per million, on milligrams per liter (mg/L).
ppb	pub: parts per billion, or micrograms per later (pg/L)
NA	NA: not applicable
ND	ND; Not detected
NR	NR: Mondoring not required, but recommended

Term	Definition
MCLG	MCLU: Maximum Contaminant Level Qual. The level of a contaminant or drinking water below inflicts there is no known or expected sisk to boulds. MCLUs allique for a storger of safety.
MCL.	MCL-Adactions Control trace Level. The highest level of a control train in a slowed in drinking water. MCLs are set as cone to the MCL (as as featible tong the best available treatment technology.
TΤ	TT: Treatment Technique. A required process unreaded to reduce the level of a contaminant in drinking water.
Al.	AL. Action Level: The concentration of a contentiation which, if exceeded, inggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exempleses: State or EPA permission not to most on MCL or a treatment technique under certain conditions.
MRDLG	ARDLO: Misciento residual distribution level goal. The level of a drawking water distribution follows which there is no known or expected risk to health. MRDLO: do do not reflect the borne fas of the use of distributions for going miscrobial confusions.
MRDL	MRO): Adoctions residual distribution for al. The highest level of a distribution allowed in distribution water. There is reserveing a referred that addition of a distribution is a presentery for control of in proceeding or an experiment.

	lagaritat Dela	ing Water Delivations	
ı	NOR	MNR: Monstored Not Regulated	
ĺ	MPL	MPL: State Assigned Maximum Permissible Level	
		Angel was	